

Computer Testing Supplement for Inspection Authorization



U.S. Department
of Transportation
**Federal Aviation
Administration**



Computer Testing Supplement for Inspection Authorization

2008

U.S. Department of Transportation
FEDERAL AVIATION ADMINISTRATION
Flight Standards Service

Preface

This publication was prepared by the Flight Standards Service of the Federal Aviation Administration (FAA) for the specific purpose of Inspection Authorization (IA) testing at selected testing centers.

Applicants for Inspection Authorization Certificates will be required to use FAA-CT-8080-8D, Computer Testing Supplement for Inspection Authorization, to answer the computer-assisted IA airman knowledge test questions.

The supplement material consists of excerpts of selected advisory circulars, airworthiness directives, Code of Federal Regulations, type certificate data sheets, aircraft specifications, FAA orders, and forms.

Applicants should note that reference material contained in this supplement is for testing purposes only. To ensure current material is available for use in day-to-day certification activities, users should be aware that they must initiate and order the publications desired, and maintain contact with the managing FAA office for the latest information, forms, and guidance.

FAA-CT-8080-8D supercedes FAA-CT-8080-8C, Computer Testing Supplement for Inspection Authorization, dated 2005, Series B.

Comments regarding FAA-CT-8080-8D should be sent, in email form, to the following address.

AFS630comments@faa.gov

Table of Contents

Preface	iii
SECTION I—TITLE 14 OF THE CODE OF FEDERAL REGULATIONS (14 CFR)	1-1
14 CFR part 1, Definitions and Abbreviations	1-3 to 1-23
14 CFR part 23, Airworthiness Standards: Normal, Utility, Acrobatic, and Commuter	
Category Airplanes	1-25 to 1-65
Subpart A—General	1-25 to 1-26
Subpart B—Flight	1-26 to 1-27
Subpart F—Equipment	1-28 to 1-52
Subpart G—Operating Limitations and Information	1-52 to 1-64
Appendix G—Instructions for Continued Airworthiness	1-64 to 1-65
14 CFR part 27, Airworthiness Standards: Normal Category Rotorcraft	1-67 to 1-94
Subpart A—General	1-67
Subpart B—Flight	1-68 to 1-69
Subpart F—Equipment	1-69 to 1-84
Subpart G—Operating Limitations and Information	1-84 to 1-93
Appendix A—Instructions for Continued Airworthiness	1-93 to 1-94
14 CFR part 39, Airworthiness Directives	1-95 to 1-96
14 CFR part 43, Maintenance, Preventive Maintenance, Rebuilding, and Alteration	1-97 to 1-104
Appendix A—Major Alterations, Major Repairs, and Preventive Maintenance	1-105 to 1-109
Appendix B—Recording of Major Repairs and Major Alterations	1-109 to 1-110
Appendix D—Scope and Detail of Items (as Applicable to the Particular Aircraft) to be included in Annual and 100-Hour Inspections.....	1-110 to 1-112
Appendix E—Altimeter Test and Inspection	1-112 to 1-114
Appendix F—ATC Transponder Tests and Inspections	1-115 to 1-116
14 CFR part 45, Identification and Registration Marking	1-117
Subpart A—General	1-117
Subpart B—Identification of Aircraft and Related Products	1-117 to 1-119
Subpart C—Nationality and Registration Marks	1-119 to 1-122
14 CFR part 91, General Operating and Flight Rules	1-123 to 1-142
Subpart A—General	1-123 to 1-127
Subpart C—Equipment, Instrument, and Certificate Requirements	1-127 to 1-136
Subpart E—Maintenance, Preventive Maintenance, and Alterations	1-136 to 1-142

SECTION II—AIRWORTHINESS DIRECTIVES (ADs) 2-1

80-10-02, Messerschmitt-Bölkow-Blohm And Messerschmitt-Bölkow-Blohm Helicopter	2-3
80-15-12, Agusta, Costruzioni Aeronautiche Giovanni	2-5
81-23-01 R1, Beech	2-7 to 2-9
82-06-12, Air Tractor, Inc.	2-11
82-11-05, Bendix	2-13
90-01-06, Enstrom Helicopter Corporation	2-15 to 2-16
90-08-14, Beech	2-17 to 2-18
93-24-03, Beech Aircraft Corporation	2-19 to 2-20
95-13-08, Pratt & Whitney Aircraft Of Canada, Inc.	2-21 to 2-23

SECTION III—EXHIBITS 3-1

Exhibit 1—Rivet requirement chart for bare and clad alloys	3-3
Exhibit 2—Rivet requirement chart for ALCLAD alloys	3-5
Exhibit 3—Rivet requirement chart for 5052 alloys.....	3-7
Exhibit 4—Recommended radii for 90° bends in aluminum alloys.....	3-9
Exhibit 5—Minimum Bend Radius for Aluminum Alloys.....	3-11
Exhibit 6—Bend allowance chart.....	3-13
Exhibit 7—K-chart for determining setback for bends other than 90°	3-15
Exhibit 8—Empty weight center-of-gravity formulas	3-17
Exhibit 9—Empty weight and empty weight center-of-gravity—tail-wheel type aircraft	3-19
Exhibit 10—Empty weight and empty weight center-of-gravity—nose-wheel type aircraft.....	3-21
Exhibit 11—Example of check of most forward weight and balance extreme	3-23
Exhibit 12—Empty weight and empty center of gravity—tail-wheel type aircraft.....	3-25
Exhibit 13—AC 43.13-2A, Chapter 1. Structural data.....	3-27
Exhibit 14—Turnbuckle safetying guide.....	3-29
Exhibit 15—Straight-shank terminal dimensions (cable terminals).....	3-31
Exhibit 16—Minimum bend radii for MIL-H-8794 and MIL-H-8788 hose	3-33 to 3-35
Exhibit 17—Minimum bend radii for Teflon hose	3-37
Exhibit 18—AC 43.13-2A, Chapter 11. Adding or Relocating Instruments.....	3-39
Exhibit 19—Electrical Wiring Rating	3-41
Exhibit 20—Minimum Equipment List Page	3-43
Exhibit 21—IAR Bend Allowance	3-45 to 3-48
Exhibit 22—IAR Circumference Formula.....	3-49 to 3-63
Exhibit 23—Minimum Equipment List Page	3-65
Exhibit 24—Bend Allowance	3-67
Exhibit 25—Circumference Formula	3-69

SECTION IV—TYPE CERTIFICATE DATA SHEET AND SPECIFICATIONS (TCDS)

TCDS Background Information.....	4-1
----------------------------------	-----

- 2A13, Piper PA-28
- 3A19, Cessna 150
- E-295, Lycoming O-540
- A7CE, Cessna 400 Series
- 3A13, Cessna 182

- A7S0, Piper PA-34-200
- A11EA, Gulfstream American AA-1
- 1A6, Piper PA-22
- E-273, Continental 0-470
- P57GL, McCauley
- P-920, Hartzell
- 2A4, Twin Commander
- E-284, Textron Lycoming
- A9CE, Cessna 188
- 3A12, Cessna 172
- A16CE, Cessna 207/T207
- 3A21, Cessna 210
- A3SO, Piper PA-32-260

SECTION V—FAA FORMS

FAA Form 337, Major Repair and Alteration (Airframe, Powerplant, Propeller, or Appliance)	5-1
FAA Form 8130-3, Authorized Release Certificate	5-3